

# Marley M11 Ultra Roof & Wall Paint

## Material Safety Datasheet



## 1. PRODUCT IDENTIFICATION AND COMPANY NAME

Product Name	Marley M11 Ultra Roof & Wall Paint
Product Identification	Air Drying Roof Paint
Supplier/Brand	Marley Roofing
Contact	Sigal Groenewald
Address	44-50 Industry Road, Clayville Ext 4, Olifantsfontein, Gauteng
Tel	+27 10 600 0284
Emergency number	076 102 3432
E-mail	<a href="mailto:Sigal.Groenewald@marley.co.za">Sigal.Groenewald@marley.co.za</a>

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Class	Emulsion Based Paint
Classification	Not Classed as hazardous
R Phrases	None
S Phrases	S2, 24/25
Hazardous Components	No significant quantity of any classified hazardous substance present.

## 3. HAZARDS IDENTIFICATION

SAPMA Health Rating 4-Minimal –No Great Risk to Health

Human Health Hazards

- Inhalation Avoid exposure to vapours, fumes and mists
- Eyes May cause slight irritation. Any possible contact to be avoided
- Ingestion May cause irritation and nausea
- Skin No hazard expected if used in moderation.  
Direct contact to be avoided

## Environmental Hazards

- No records of chronic effects found, hence considered low hazard. Non-toxic but can have undesirable environmental side effects, therefore care must be taken with disposal.

## 4. FIRST AID MEASURES

General	<b>In all cases of doubt, or when symptoms persist, seek medical attention!</b> <b>Never give anything by mouth to an unconscious person!</b>
Inhalation	Move to a safe area with fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.
Eye Contact	Rinse thoroughly with water for at least 10 minutes. Seek medical attention.
Ingestion	Do not induce vomiting. Keep person warm and at rest. Seek medical advice immediately and show the container or label.
Skin Contact	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do not use solvents or thinners.

## 5. FIRE-FIGHTING MEASURES

This paint is not flammable, but the dry residue is combustible.

Expect no direct explosion hazard.

Use CO<sub>2</sub>, dry powder, or foam to extinguish fire.

## 6. ACCIDENTAL RELEASE MEASURES-also see sections 5 to 8 and 13

Personal Precautions	Ventilate the area. Avoid breathing in vapours.
Spill	Contain and collect spillage with absorbent material. Dispose of according to local regulations. Do not allow spillage to enter sewerage drains or watercourses.

## 7. HANDLING AND STORAGE

Handling	Keep container tightly closed. Eating, drinking, and smoking should be prohibited in area where this material is handled, stored, and processed. After handling the material, workers should wash their hands and face before eating, drinking, and smoking. Always comply with health and safety regulations!
Storage	Store in original container. Observe label precautions. Store in a cool, well-ventilated area away from incompatible materials and ignition sources.  <b>Keep away from oxidizing agents, strong alkaline and acids!</b>  <b>No smoking!</b> Containers which have been opened must be carefully resealed and kept upright to prevent leakage.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

SAPMA Rating	4-H-C
Personal Protective Equipment	
Respiration	Should ventilation be inadequate or if workers are exposed to concentrations above the exposure limit, appropriate certified respirators must be used.
Eyes	Use safety eyewear designed to protect against splash of liquids. Never touch eyes with dirty hands or gloves.
Ingestion	Observe the rules of hygiene. Wash hands and face before eating, drinking, or smoking.
Skin	Use protective gloves. Wash in case of contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Slightly Viscous Opaque Liquid
Flash Point (°C)	Not flammable-N/A
Dilution/Wash up	Water
Density	1.1-1.30
pH	8.5-9.5

## 10. STABILTY AND REACTIVITY

Stability	Stable under recommended storage and handling conditions.
Conditions to Avoid	Excessive heat – store below 30 degrees Celsius
Materials to Avoid	Oxidizing agents, strong alkaline or acidic materials.

## 11. TOXICOLOGICAL INFORMATION

No records of chronic Effects found

.

## 12. ECOLOGICAL INFORMATION

Product is considered a water pollutant. **Do not allow to enter drains or watercourses!**

## 13. DISPOSAL CONSIDERATIONS

Do not allow to enter drains or watercourses.

Dispose according to national and local applicable regulations.

Empty containers are suitable for recycling, but caution must be exercised in the disposal of used containers.

#### 14. TRANSPORT INFORMATION

SIN/UN Number	Not Classified as Dangerous for Transport
Shipping Name	Not Classified
Packaging Group	Not Classified
Class	Not Classified as hazardous

#### 15. REGULATORY INFORMATION

Classification	Not classified as hazardous
<b>S2</b>	<b>Keep out of reach of Children!</b>
<b>S24/25</b>	<b>Avoid contact with eyes and skin!</b>

#### 16. OTHER INFORMATION

The information in this Safety Datasheet (SDS) is based on the present state of our knowledge and on current national laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this SDS is meant as a description of the safety requirements of our product – it is not to be considered as a guarantee of the product's properties. No responsibility is accepted for errors or omissions or the consequences thereof.

**CONTACT DETAILS:**

Call: 010 600 0284

Email: [info@marley.co.za](mailto:info@marley.co.za)Web: [www.marleyroofing.co.za](http://www.marleyroofing.co.za) or scan QR code below:

Follow us:

<https://www.facebook.com/MarleyRoofingZA><https://www.linkedin.com/company/27058241/>